

## Order and Quote Form

## AR, TR, MND, PPS, PAS, PS &amp; TI Grate Only



## Select Grate Style




TR  
Standard  
3mm wire  
5mm gap



AR  
Architectural  
2mm wire  
2mm gap



PAS  
Punched  
Angle Slot



MND  
Marc Newson



PS  
Punched Slot




PPS  
Punched  
Perpendicular  
Slot



Ti  
Tile Insert

## Grate Dimensions


TR, AR, PAS, MND, PS, PPS Grate Styles



\*MND Grate maximum 100mm wide, maximum 90mm deep.

\*PPS, PS & PAS over 100mm wide will need to be double punched, please refer to pages 2 & 3

Ti Grate Style



## Specify Length

mm	
	<b>Grate 1</b>
mm	
	<b>Grate 2</b>
mm	
	<b>Grate 3</b>

Full Name

Email Address

Company Name

Order Number

Stormtech Quote Number

Telephone


Signature

## PPS/ PAS Grates Over 103mm wide

Please note that any of our grates over 103mm wide (110mm wide o/a with channel included) will look slightly different to advertised.


See below 2 options that you have when ordering one of these grate styles over 103mm wide.

### Double Punched



With this option, the slots will still reach towards the edge of the grate, however having to punch this grate twice to achieve this width will leave the notches as per the above highlighted red image.

## Standard Width Slots



With this option, the slots will not reach the edge of the grate and would leave excess space on each side of the grate as per the above image. This specific image shows how much space would be left on a 200mm wide grate.

**Please contact our customer service team to advise which option you would like to proceed with.**